

LEDge Light^A

LEDge Light is the first LED lighting product designed specifically for use on display shelves. Environmentally friendly LEDs produce light intensity similar to T5 fluorescent fixtures, while using only half the energy and lasting nearly three times as long without replacement or maintenance. LEDge Light produces virtually no heat, no UV rays (eliminating packaging degradation) and features a specially designed lens for optimal light distribution. Optional dimming controller with infrared sensors may reduce energy consumption by over 50% and double the life of the fixture.


- 2', 3', and 4' lengths
- Maintenance-free life in excess of 50,000 hours (11 years at 12 hours/day)
- Compact, 1.18" x .88" profile
- Durable aluminum extrusion
- Integral Magnets make installation on metal shelves or other surfaces easy and allow fast changes
- End tabs with holes for fastening to wood shelves, counters, or other surfaces
- UL classified system
- Energy Star certified*
- All plug 'n play connections– no electrician required (class 2 system)
- Multiple units connected using Jumper Cables or Harness Assembly
- May be daisy-chained to single power supply for "single row" applications
- 100W power supply can power up to six 48" LEDge Lights (see chart)
- Color temperature: 4200K
- Color Rendering Index (CRI) of 85
- Contains no heavy metals
- Low power consumption helps meet California Title 24 lighting regulations
- Safe 24 volt DC system
- 2-year warranty
- Not compatible with Lumi-M-Stick, Lumiback, or Lumishelf™ accessories

*pending

LLS(NL)

LLS.....LEDge Light

NL.....Nominal Length 24", 36" or 48"
(610 mm, 914 mm or 1219 mm)



Shelf Width	Part Number	Actual Length	Power Consumption	Max # Lights per 100W Power Supply
24"	LLS24	22½"	8W	12
36"	LLS36	34½"	14W	8
48"	LLS48	46½"	11W	9



LEDge Light

