


MADIX FINISHES


Standard Coatings

Standard coatings for standard products are Sahara, Oyster, and Snow White. On Pallet Rack, Wide Span, and Storage Shelving, standard coatings are Blue Gray and Sahara. Standard coatings for most wire products are Silver Vein and Powder Chrome.


Standard Product Shelving



Pallet Rack, Wide Span, & Storage Shelving



Wire Fixtures



Non-Returnable Standard Coatings

No-Charge Coatings for Metal

Wood Backs may have an upcharge.

The following colors can be ordered at no additional charge. Products ordered in these colors cannot be returned.



Finishes listed on this page can be painted on most products at no additional charge. The only products subject to return are those painted with Finishes listed under "Standard Coatings."

NOTE!

Color and printed samples may vary from actual painted products. Request color chip if exact match is required.



Texas: 214.515.5400 | Alabama: 256.839.6354 | www.madixinc.com



© 2026 Madix, Inc. All rights reserved. Not responsible for errors and omissions in printing. Rev. 04/26



Non-Returnable Coatings

Madix offers several optional coatings to provide customers with additional color choices. A minimum upcharge will apply when choosing optional colors. Each product in the Madix Catalogs that will accept an optional color will have a per piece color upcharge located in the Pricing Guides.

Non-Returnable Coatings



NOTE!
Color and printed samples may vary from actual painted products. Request color chip if exact match is required.


NOTE!
Clear coat finish may vary in color due to substrate material



High Pressure Laminate

“HPL” should be specified for wear (horizontal) surfaces or for small volume requirements where Thermofused materials are not available. HPL has high wear and is impact resistance.

All Madix wood products use low-VOC, low-Formaldehyde substrates and adhesives and comply with California Air Resources Board Regulations. Products may qualify for LEED credits under 4.3,4 Environmental Quality, 4.1,2 Recycled Materials, and 6.0 Rapidly Renewable Resources.



NOTE!

Selections refer to thick [5/8" (15.9 mm) or thicker] panels used for counters, end panels, etc. Back Panels [1/4" (6.4 mm)] selections may vary – inquire through Customer Service for specific requirements.

NOTE!

There will be a \$100 set-up charge per order for laminate finishes not listed.

Thermofused Panels

Thermofused panels are ideal for non-wear surfaces and have substantial impact and wear characteristics compared to melamine panels previously available. The product is produced using hot press laminating polyester or melamine resin impregnated self-bonding paper to wood substrate. Performance specifications are available from the American Laminations Association. Madix does not recommend the use of Thermofused panels on horizontal or other wear surfaces.



NOTE!

Thermofused Panel and High Pressure Laminate samples may vary from actual products. Request sample if exact match is required.

